# Verbatim LED R7s 8.5W 3000K 650LM

- R7s Socket
- 220-240V
- 20000 hours Lifetime
- 83% Energy Saving
- Luminous Flux: 650 lm
- Equivalent to 50W incandescent bulb

| **Product Number** | **52621** |
|---|---|
| **General Data** | |
| Lamp Socket | R7s |
| Design | R7s |
| **Electric Data** | |
| Wattage (W) | 8.5 |
| Wattage Equivalent (W) | 50 |
| Voltage (V) | 220-240 |
| Dimmable | no |
| Power Factor | 0.52 |
| Operating Frequency (Hz) | 50/60 |
| **Geometric Data** | |
| Length (mm) | 118.0 |
| Diameter (mm) | 48.0 |
| Weight (g) | 105 |
| **Photometric Data** | |
| Luminous Flux (lm) | 650 |
| CRI | 80 |
| CCT (K) | 3000 |
| Luminous Intensity (cd) | 260 |
| Beam Angle (°) | 110 |
| Luminous Efficacy (lm/W) | 80 |
| Lifetime (hrs) | 20000 |
| Switching Cycle | 100000 |



06/06/2017

## Technical Drawings




## Photometric Diagrams




06/06/2017

## Photometric Diagrams




## Energy Rating




## Technical Packaging Details

**Barcode**
50023942526211

**EAN 128**
(02)00023942526216(37)08(91)814

**Pack Dimensions(HxWxL)**
H189*W30.5*L117.7 (mm)

**Pack Weight**
130 (g)

**MOQ**
6

**Carton Dimensions (HxWxL)**
H196*W106*L248 (mm)

**Cartons/Pallet**
104

**Layers/Pallet**
4

**Units/Pallet**
624

06/06/2017